



Rev. 11/09/17

# BAPI-Stat “Quantum Slim” Sensor

A7

Temperature Sensors

## Features & Options

- New BAPI-Stat “Quantum Slim” Enclosure Style
- White or Black Color Option
- Wide Selection of Temperature Sensing Elements
- Limited Lifetime Warranty

The new BAPI-Stat “Quantum Slim” Temperature Room Sensor is designed for applications where a temperature output is required with a sleek, low profile room enclosure. Available with thermistor and RTD elements. Ideal for locations where aesthetics are as important as the temperature measurement.



BAPI-Stat “Quantum Slim” Sensors



## Ordering Information

Part Number	Description
BA/QS-W-A.....	White BAPI-Stat “Quantum Slim” with 1K Platinum RTD (385 curve)
BA/QS-W-B .....	White BAPI-Stat “Quantum Slim” with 10K-2 Thermistor
BA/QS-W-C .....	White BAPI-Stat “Quantum Slim” with 10K-3 Thermistor
BA/QS-W-D .....	White BAPI-Stat “Quantum Slim” with 10K-3[11K] Thermistor
BA/QS-W-E .....	White BAPI-Stat “Quantum Slim” with 20K Thermistor
BA/QS-W-F.....	White BAPI-Stat “Quantum Slim” with 1.8K Thermistor
BA/QS-W-G .....	White BAPI-Stat “Quantum Slim” with 1K Ω Nickel RTD
BA/QS-W-H .....	White BAPI-Stat “Quantum Slim” with 3K Thermistor
BA/QS-W-V .....	White BAPI-Stat “Quantum Slim” with 10K-4 Thermistor
BA/QS-B-A.....	Black BAPI-Stat “Quantum Slim” with 1K Platinum RTD (385 curve)
BA/QS-B-B .....	Black BAPI-Stat “Quantum Slim” with 10K-2 Thermistor
BA/QS-B-C .....	Black BAPI-Stat “Quantum Slim” with 10K-3 Thermistor
BA/QS-B-D .....	Black BAPI-Stat “Quantum Slim” with 10K-3[11K] Thermistor
BA/QS-B-E .....	Black BAPI-Stat “Quantum Slim” with 20K Thermistor
BA/QS-B-F.....	Black BAPI-Stat “Quantum Slim” with 1.8K Thermistor
BA/QS-B-G .....	Black BAPI-Stat “Quantum Slim” with 1K Ω Nickel RTD
BA/QS-B-H .....	Black BAPI-Stat “Quantum Slim” with 3K Thermistor
BA/QS-B-V .....	Black BAPI-Stat “Quantum Slim” with 10K-4 Thermistor

## Specifications

### Wiring:

One pair of 16 to 22 AWG wires

### Mounting:

Surface or drywall mount (screws provided)

### Sensing Element:


Thermistor or RTD (See Sensors Sect. for Specs.)

### Environmental Operation Range:

Temperature: 32 to 122 °F (0 to 50 °C)

Humidity: 0 to 95%, non-condensing

Agency: RoHS, CE



Building Automation Products, Inc. • 750 North Royal Avenue, Gays Mills, WI 54631 USA

Tel: +1-608-735-4800 • Fax: +1-608-735-4804 • Email: sales@bapihvac.com • Web: www.bapihvac.com